

Item No.	Size (mm)	OAL length (mm)	Item No.	Size (mm)	OAL length (mm)
DWDF406152ABQ	6	152	DWDF425400ABQ	25	400
DWDF408152ABQ	8	152	DWDF426400ABQ	26	400
DWDF410152ABQ	10	152	DWDF428400ABQ	28	400
DWDF411152ABQ	11	152	DWDF430400ABQ	30	400
DWDF412152ABQ	12	152	DWDF432400ABQ	32	400
DWDF413152ABQ	13	152	DWDF434400ABQ	34	400
DWDF414152ABQ	14	152	DWDF435400ABQ	35	400
DWDF415152ABQ	15	152	DWDF436400ABQ	36	400
DWDF416152ABQ	16	152	DWDF438400ABQ	38	400
DWDF417152ABQ	17	152	DWDF440400ABQ	40	400
DWDF418152ABQ	18	152			
DWDF419152ABQ	19	152			
DWDF420152ABQ	20	152			
DWDF422152ABQ	22	152			
DWDF423152ABQ	23	152			
DWDF424152ABQ	24	152			
DWDF425152ABQ	25	152			
DWDF426152ABQ	26	152			
DWDF428152ABQ	28	152			
DWDF430152ABQ	30	152			
DWDF432152ABQ	32	152			
DWDF434152ABQ	34	152			
DWDF435152ABQ	35	152			
DWDF436152ABQ	36	152			
DWDF438152ABQ	38	152			
DWDF440152ABQ	40	152			
DWDF406300ABQ	6	300			
DWDF408300ABQ	8	300			
DWDF410300ABQ	10	300			
DWDF411300ABQ	11	300			
DWDF412300ABQ	12	300			
DWDF413300ABQ	13	300			
DWDF414300ABQ	14	300			
DWDF415300ABQ	15	300			
DWDF416300ABQ	16	300			
DWDF417300ABQ	17	300			
DWDF418300ABQ	18	300			
DWDF419300ABQ	19	300			
DWDF420300ABQ	20	300			
DWDF422300ABQ	22	300			
DWDF423300ABQ	23	300			
DWDF424300ABQ	24	300			
DWDF425300ABQ	25	300			
DWDF426300ABQ	26	300			
DWDF428300ABQ	28	300			
DWDF430300ABQ	30	300			
DWDF432300ABQ	32	300			
DWDF434300ABQ	34	300			
DWDF435300ABQ	35	300			
DWDF436300ABQ	36	300			
DWDF438300ABQ	38	300			
DWDF440300ABQ	40	300			
DWDF406400ABQ	6	400			
DWDF408400ABQ	8	400			
DWDF410400ABQ	10	400			
DWDF411400ABQ	11	400			
DWDF412400ABQ	12	400			
DWDF413400ABQ	13	400			
DWDF414400ABQ	14	400			
DWDF415400ABQ	15	400			
DWDF416400ABQ	16	400			
DWDF417400ABQ	17	400			
DWDF418400ABQ	18	400			
DWDF419400ABQ	19	400			
DWDF420400ABQ	20	400			
DWDF422400ABQ	22	400			
DWDF423400ABQ	23	400			
DWDF424400ABQ	24	400			

- *Tri-point and cutting groove
- *Either quick shank or hex shank is for option
- *Made of #45, 65Mn is available as well.
- *Length: 152mm-400mm
- *Surface treatment: blasted, bright as an alternative
- *For drilling in most common wood types.



Item No.	Size (mm)	OAL length (mm)	Item No.	Size (mm)	OAL length (mm)
DWDF406152BBQ	6	152	DWDF425400BBQ	25	400
DWDF408152BBQ	8	152	DWDF426400BBQ	26	400
DWDF410152BBQ	10	152	DWDF428400BBQ	28	400
DWDF411152BBQ	11	152	DWDF430400BBQ	30	400
DWDF412152BBQ	12	152	DWDF432400BBQ	32	400
DWDF413152BBQ	13	152	DWDF434400BBQ	34	400
DWDF414152BBQ	14	152	DWDF435400BBQ	35	400
DWDF415152BBQ	15	152	DWDF436400BBQ	36	400
DWDF416152BBQ	16	152	DWDF438400BBQ	38	400
DWDF417152BBQ	17	152	DWDF440400BBQ	40	400
DWDF418152BBQ	18	152			
DWDF419152BBQ	19	152			
DWDF420152BBQ	20	152			
DWDF422152BBQ	22	152			
DWDF423152BBQ	23	152			
DWDF424152BBQ	24	152			
DWDF425152BBQ	25	152			
DWDF426152BBQ	26	152			
DWDF428152BBQ	28	152			
DWDF430152BBQ	30	152			
DWDF432152BBQ	32	152			
DWDF434152BBQ	34	152			
DWDF435152BBQ	35	152			
DWDF436152BBQ	36	152			
DWDF438152BBQ	38	152			
DWDF440152BBQ	40	152			
DWDF406300BBQ	6	300			
DWDF408300BBQ	8	300			
DWDF410300BBQ	10	300			
DWDF411300BBQ	11	300			
DWDF412300BBQ	12	300			
DWDF413300BBQ	13	300			
DWDF414300BBQ	14	300			
DWDF415300BBQ	15	300			
DWDF416300BBQ	16	300			
DWDF417300BBQ	17	300			
DWDF418300BBQ	18	300			
DWDF419300BBQ	19	300			
DWDF420300BBQ	20	300			
DWDF422300BBQ	22	300			
DWDF423300BBQ	23	300			
DWDF424300BBQ	24	300			
DWDF425300BBQ	25	300			
DWDF426300BBQ	26	300			
DWDF428300BBQ	28	300			
DWDF430300BBQ	30	300			
DWDF432300BBQ	32	300			
DWDF434300BBQ	34	300			
DWDF435300BBQ	35	300			
DWDF436300BBQ	36	300			
DWDF438300BBQ	38	300			
DWDF440300BBQ	40	300			
DWDF406400BBQ	6	400			
DWDF408400BBQ	8	400			
DWDF410400BBQ	10	400			
DWDF411400BBQ	11	400			
DWDF412400BBQ	12	400			
DWDF413400BBQ	13	400			
DWDF414400BBQ	14	400			
DWDF415400BBQ	15	400			
DWDF416400BBQ	16	400			
DWDF417400BBQ	17	400			
DWDF418400BBQ	18	400			
DWDF419400BBQ	19	400			
DWDF420400BBQ	20	400			
DWDF422400BBQ	22	400			
DWDF423400BBQ	23	400			
DWDF424400BBQ	24	400			

*Tri-point

*Either quick shank or hex shank is for option

*Made of #45, 65Mn is available as well.

*Length: 152mm-400mm

*Surface treatment: blasted, bright as an alternative

*For drilling in most common wood types.



Item No.	Size (mm)	OAL length (mm)	Item No.	Size (mm)	OAL length (mm)
DWDF406152CBQ	6	152	DWDF425400CBQ	25	400
DWDF408152CBQ	8	152	DWDF426400CBQ	26	400
DWDF410152CBQ	10	152	DWDF428400CBQ	28	400
DWDF411152CBQ	11	152	DWDF430400CBQ	30	400
DWDF412152CBQ	12	152	DWDF432400CBQ	32	400
DWDF413152CBQ	13	152	DWDF434400CBQ	34	400
DWDF414152CBQ	14	152	DWDF435400CBQ	35	400
DWDF415152CBQ	15	152	DWDF436400CBQ	36	400
DWDF416152CBQ	16	152	DWDF438400CBQ	38	400
DWDF417152CBQ	17	152	DWDF440400CBQ	40	400
DWDF418152CBQ	18	152			
DWDF419152CBQ	19	152			
DWDF420152CBQ	20	152			
DWDF422152CBQ	22	152			
DWDF423152CBQ	23	152			
DWDF424152CBQ	24	152			
DWDF425152CBQ	25	152			
DWDF426152CBQ	26	152			
DWDF428152CBQ	28	152			
DWDF430152CBQ	30	152			
DWDF432152CBQ	32	152			
DWDF434152CBQ	34	152			
DWDF435152CBQ	35	152			
DWDF436152CBQ	36	152			
DWDF438152CBQ	38	152			
DWDF440152CBQ	40	152			
DWDF406300CBQ	6	300			
DWDF408300CBQ	8	300			
DWDF410300CBQ	10	300			
DWDF411300CBQ	11	300			
DWDF412300CBQ	12	300			
DWDF413300CBQ	13	300			
DWDF414300CBQ	14	300			
DWDF415300CBQ	15	300			
DWDF416300CBQ	16	300			
DWDF417300CBQ	17	300			
DWDF418300CBQ	18	300			
DWDF419300CBQ	19	300			
DWDF420300CBQ	20	300			
DWDF422300CBQ	22	300			
DWDF423300CBQ	23	300			
DWDF424300CBQ	24	300			
DWDF425300CBQ	25	300			
DWDF426300CBQ	26	300			
DWDF428300CBQ	28	300			
DWDF430300CBQ	30	300			
DWDF432300CBQ	32	300			
DWDF434300CBQ	34	300			
DWDF435300CBQ	35	300			
DWDF436300CBQ	36	300			
DWDF438300CBQ	38	300			
DWDF440300CBQ	40	300			
DWDF406400CBQ	6	400			
DWDF408400CBQ	8	400			
DWDF410400CBQ	10	400			
DWDF411400CBQ	11	400			
DWDF412400CBQ	12	400			
DWDF413400CBQ	13	400			
DWDF414400CBQ	14	400			
DWDF415400CBQ	15	400			
DWDF416400CBQ	16	400			
DWDF417400CBQ	17	400			
DWDF418400CBQ	18	400			
DWDF419400CBQ	19	400			
DWDF420400CBQ	20	400			
DWDF422400CBQ	22	400			
DWDF423400CBQ	23	400			
DWDF424400CBQ	24	400			

- *One centre point and cutting groove
- *Either quick shank or hex shank is for option
- *Made of #45, 65Mn is available as well.
- *Length: 152mm-400mm
- *Surface treatment: blasted, bright as an alternative
- *For drilling in most common wood types.



Item No.	Size (mm)	OAL length (mm)	Item No.	Size (mm)	OAL length (mm)
DWDF406152DBQ	6	152	DWDF425400DBQ	25	400
DWDF408152DBQ	8	152	DWDF426400DBQ	26	400
DWDF410152DBQ	10	152	DWDF428400DBQ	28	400
DWDF411152DBQ	11	152	DWDF430400DBQ	30	400
DWDF412152DBQ	12	152	DWDF432400DBQ	32	400
DWDF413152DBQ	13	152	DWDF434400DBQ	34	400
DWDF414152DBQ	14	152	DWDF435400DBQ	35	400
DWDF415152DBQ	15	152	DWDF436400DBQ	36	400
DWDF416152DBQ	16	152	DWDF438400DBQ	38	400
DWDF417152DBQ	17	152	DWDF440400DBQ	40	400
DWDF418152DBQ	18	152			
DWDF419152DBQ	19	152			
DWDF420152DBQ	20	152			
DWDF422152DBQ	22	152			
DWDF423152DBQ	23	152			
DWDF424152DBQ	24	152			
DWDF425152DBQ	25	152			
DWDF426152DBQ	26	152			
DWDF428152DBQ	28	152			
DWDF430152DBQ	30	152			
DWDF432152DBQ	32	152			
DWDF434152DBQ	34	152			
DWDF435152DBQ	35	152			
DWDF436152DBQ	36	152			
DWDF438152DBQ	38	152			
DWDF440152DBQ	40	152			
DWDF406300DBQ	6	300			
DWDF408300DBQ	8	300			
DWDF410300DBQ	10	300			
DWDF411300DBQ	11	300			
DWDF412300DBQ	12	300			
DWDF413300DBQ	13	300			
DWDF414300DBQ	14	300			
DWDF415300DBQ	15	300			
DWDF416300DBQ	16	300			
DWDF417300DBQ	17	300			
DWDF418300DBQ	18	300			
DWDF419300DBQ	19	300			
DWDF420300DBQ	20	300			
DWDF422300DBQ	22	300			
DWDF423300DBQ	23	300			
DWDF424300DBQ	24	300			
DWDF425300DBQ	25	300			
DWDF426300DBQ	26	300			
DWDF428300DBQ	28	300			
DWDF430300DBQ	30	300			
DWDF432300DBQ	32	300			
DWDF434300DBQ	34	300			
DWDF435300DBQ	35	300			
DWDF436300DBQ	36	300			
DWDF438300DBQ	38	300			
DWDF440300DBQ	40	300			
DWDF406400DBQ	6	400			
DWDF408400DBQ	8	400			
DWDF410400DBQ	10	400			
DWDF411400DBQ	11	400			
DWDF412400DBQ	12	400			
DWDF413400DBQ	13	400			
DWDF414400DBQ	14	400			
DWDF415400DBQ	15	400			
DWDF416400DBQ	16	400			
DWDF417400DBQ	17	400			
DWDF418400DBQ	18	400			
DWDF419400DBQ	19	400			
DWDF420400DBQ	20	400			
DWDF422400DBQ	22	400			
DWDF423400DBQ	23	400			
DWDF424400DBQ	24	400			

- *One centre point
- *Either quick shank or hex shank is for option
- *Made of #45, 65Mn is available as well.
- *Length: 152mm-400mm
- *Surface treatment: blasted, bright as an alternative
- *For drilling in most common wood types.



Item No.	Size (inch)	OAL length (inch)
DWDF41/4"-6"ABQ	1/4"	6"
DWDF45/16"-6"ABQ	5/16"	6"
DWDF43/8"-6"ABQ	3/8"	6"
DWDF47/16"-6"ABQ	7/16"	6"
DWDF41/2"-6"ABQ	1/2"	6"
DWDF49/16"-6"ABQ	9/16"	6"
DWDF45/8"-6"ABQ	5/8"	6"
DWDF411/16"-6"ABQ	11/16"	6"
DWDF43/4"-6"ABQ	3/4"	6"
DWDF413/16"-6"ABQ	13/16"	6"
DWDF47/8"-6"ABQ	7/8"	6"
DWDF415/16"-6"ABQ	15/16"	6"
DWDF41"-6"ABQ	1"	6"
DWDF41-1/8"-6"ABQ	1-1/8"	6"
DWDF41-1/4"-6"ABQ	1-1/4"	6"
DWDF41-3/8"-6"ABQ	1-3/8"	6"
DWDF41-1/2"-6"ABQ	1-1/2"	6"
DWDF41/4"-12"ABQ	1/4"	12"
DWDF45/16"-12"ABQ	5/16"	12"
DWDF43/8"-12"ABQ	3/8"	12"
DWDF47/16"-12"ABQ	7/16"	12"
DWDF41/2"-12"ABQ	1/2"	12"
DWDF49/16"-12"ABQ	9/16"	12"
DWDF45/8"-12"ABQ	5/8"	12"
DWDF411/16"-12"ABQ	11/16"	12"
DWDF43/4"-12"ABQ	3/4"	12"
DWDF413/16"-12"ABQ	13/16"	12"
DWDF47/8"-12"ABQ	7/8"	12"
DWDF415/16"-12"ABQ	15/16"	12"
DWDF41"-12"ABQ	1"	12"
DWDF41-1/8"-12"ABQ	1-1/8"	12"
DWDF41-1/4"-12"ABQ	1-1/4"	12"
DWDF41-3/8"-12"ABQ	1-3/8"	12"
DWDF41-1/2"-12"ABQ	1-1/2"	12"
DWDF41/4"-16"ABQ	1/4"	16"
DWDF45/16"-16"ABQ	5/16"	16"
DWDF43/8"-16"ABQ	3/8"	16"
DWDF47/16"-16"ABQ	7/16"	16"
DWDF41/2"-16"ABQ	1/2"	16"
DWDF49/16"-16"ABQ	9/16"	16"
DWDF45/8"-16"ABQ	5/8"	16"
DWDF411/16"-16"ABQ	11/16"	16"
DWDF43/4"-16"ABQ	3/4"	16"
DWDF413/16"-16"ABQ	13/16"	16"
DWDF47/8"-16"ABQ	7/8"	16"
DWDF415/16"-16"ABQ	15/16"	16"
DWDF41"-16"ABQ	1"	16"
DWDF41-1/8"-16"ABQ	1-1/8"	16"
DWDF41-1/4"-16"ABQ	1-1/4"	16"
DWDF41-3/8"-16"ABQ	1-3/8"	16"
DWDF41-1/2"-16"ABQ	1-1/2"	16"

- *Tri-point and cutting groove
- *Either quick shank or hex shank is for option
- *Made of #45, 65Mn is available as well.
- *Length: 6" - 16"
- *Surface treatment: blasted, bright as an alternative
- *For drilling in most common wood types.



Item No.	Size (inch)	OAL length (inch)
DWDF41/4"-6"BBQ	1/4"	6"
DWDF45/16"-6"BBQ	5/16"	6"
DWDF43/8"-6"BBQ	3/8"	6"
DWDF47/16"-6"BBQ	7/16"	6"
DWDF41/2"-6"BBQ	1/2"	6"
DWDF49/16"-6"BBQ	9/16"	6"
DWDF45/8"-6"BBQ	5/8"	6"
DWDF411/16"-6"BBQ	11/16"	6"
DWDF43/4"-6"BBQ	3/4"	6"
DWDF413/16"-6"BBQ	13/16"	6"
DWDF47/8"-6"BBQ	7/8"	6"
DWDF415/16"-6"BBQ	15/16"	6"
DWDF41"-6"BBQ	1"	6"
DWDF41-1/8"-6"BBQ	1-1/8"	6"
DWDF41-1/4"-6"BBQ	1-1/4"	6"
DWDF41-3/8"-6"BBQ	1-3/8"	6"
DWDF41-1/2"-6"BBQ	1-1/2"	6"
DWDF41/4"-12"BBQ	1/4"	12"
DWDF45/16"-12"BBQ	5/16"	12"
DWDF43/8"-12"BBQ	3/8"	12"
DWDF47/16"-12"BBQ	7/16"	12"
DWDF41/2"-12"BBQ	1/2"	12"
DWDF49/16"-12"BBQ	9/16"	12"
DWDF45/8"-12"BBQ	5/8"	12"
DWDF411/16"-12"BBQ	11/16"	12"
DWDF43/4"-12"BBQ	3/4"	12"
DWDF413/16"-12"BBQ	13/16"	12"
DWDF47/8"-12"BBQ	7/8"	12"
DWDF415/16"-12"BBQ	15/16"	12"
DWDF41"-12"BBQ	1"	12"
DWDF41-1/8"-12"BBQ	1-1/8"	12"
DWDF41-1/4"-12"BBQ	1-1/4"	12"
DWDF41-3/8"-12"BBQ	1-3/8"	12"
DWDF41-1/2"-12"BBQ	1-1/2"	12"
DWDF41/4"-16"BBQ	1/4"	16"
DWDF45/16"-16"BBQ	5/16"	16"
DWDF43/8"-16"BBQ	3/8"	16"
DWDF47/16"-16"BBQ	7/16"	16"
DWDF41/2"-16"BBQ	1/2"	16"
DWDF49/16"-16"BBQ	9/16"	16"
DWDF45/8"-16"BBQ	5/8"	16"
DWDF411/16"-16"BBQ	11/16"	16"
DWDF43/4"-16"BBQ	3/4"	16"
DWDF413/16"-16"BBQ	13/16"	16"
DWDF47/8"-16"BBQ	7/8"	16"
DWDF415/16"-16"BBQ	15/16"	16"
DWDF41"-16"BBQ	1"	16"
DWDF41-1/8"-16"BBQ	1-1/8"	16"
DWDF41-1/4"-16"BBQ	1-1/4"	16"
DWDF41-3/8"-16"BBQ	1-3/8"	16"
DWDF41-1/2"-16"BBQ	1-1/2"	16"

*Tri-point

*Either quick shank or hex shank is for option

*Made of #45, 65Mn is available as well.

*Length: 6"-16"

*Surface treatment: blasted, bright as an alternative

*For drilling in most common wood types.



Item No.	Size (inch)	OAL length (inch)
DWDF41/4"-6"CBQ	1/4"	6"
DWDF45/16"-6"CBQ	5/16"	6"
DWDF43/8"-6"CBQ	3/8"	6"
DWDF47/16"-6"CBQ	7/16"	6"
DWDF41/2"-6"CBQ	1/2"	6"
DWDF49/16"-6"CBQ	9/16"	6"
DWDF45/8"-6"CBQ	5/8"	6"
DWDF411/16"-6"CBQ	11/16"	6"
DWDF43/4"-6"CBQ	3/4"	6"
DWDF413/16"-6"CBQ	13/16"	6"
DWDF47/8"-6"CBQ	7/8"	6"
DWDF415/16"-6"CBQ	15/16"	6"
DWDF41"-6"CBQ	1"	6"
DWDF41-1/8"-6"CBQ	1-1/8"	6"
DWDF41-1/4"-6"CBQ	1-1/4"	6"
DWDF41-3/8"-6"CBQ	1-3/8"	6"
DWDF41-1/2"-6"CBQ	1-1/2"	6"
DWDF41/4"-12"CBQ	1/4"	12"
DWDF45/16"-12"CBQ	5/16"	12"
DWDF43/8"-12"CBQ	3/8"	12"
DWDF47/16"-12"CBQ	7/16"	12"
DWDF41/2"-12"CBQ	1/2"	12"
DWDF49/16"-12"CBQ	9/16"	12"
DWDF45/8"-12"CBQ	5/8"	12"
DWDF411/16"-12"CBQ	11/16"	12"
DWDF43/4"-12"CBQ	3/4"	12"
DWDF413/16"-12"CBQ	13/16"	12"
DWDF47/8"-12"CBQ	7/8"	12"
DWDF415/16"-12"CBQ	15/16"	12"
DWDF41"-12"CBQ	1"	12"
DWDF41-1/8"-12"CBQ	1-1/8"	12"
DWDF41-1/4"-12"CBQ	1-1/4"	12"
DWDF41-3/8"-12"CBQ	1-3/8"	12"
DWDF41-1/2"-12"CBQ	1-1/2"	12"
DWDF41/4"-16"CBQ	1/4"	16"
DWDF45/16"-16"CBQ	5/16"	16"
DWDF43/8"-16"CBQ	3/8"	16"
DWDF47/16"-16"CBQ	7/16"	16"
DWDF41/2"-16"CBQ	1/2"	16"
DWDF49/16"-16"CBQ	9/16"	16"
DWDF45/8"-16"CBQ	5/8"	16"
DWDF411/16"-16"CBQ	11/16"	16"
DWDF43/4"-16"CBQ	3/4"	16"
DWDF413/16"-16"CBQ	13/16"	16"
DWDF47/8"-16"CBQ	7/8"	16"
DWDF415/16"-16"CBQ	15/16"	16"
DWDF41"-16"CBQ	1"	16"
DWDF41-1/8"-16"CBQ	1-1/8"	16"
DWDF41-1/4"-16"CBQ	1-1/4"	16"
DWDF41-3/8"-16"CBQ	1-3/8"	16"
DWDF41-1/2"-16"CBQ	1-1/2"	16"

- *One centre point and cutting groove
- *Either quick shank or hex shank is for option
- *Made of #45, 65Mn is available as well.
- *Length: 6"-16"
- *Surface treatment: blasted, bright as an alternative
- *For drilling in most common wood types.



Item No.	Size (inch)	OAL length (inch)
DWDF41/4"-6"DBQ	1/4"	6"
DWDF45/16"-6"DBQ	5/16"	6"
DWDF43/8"-6"DBQ	3/8"	6"
DWDF47/16"-6"DBQ	7/16"	6"
DWDF41/2"-6"DBQ	1/2"	6"
DWDF49/16"-6"DBQ	9/16"	6"
DWDF45/8"-6"DBQ	5/8"	6"
DWDF411/16"-6"DBQ	11/16"	6"
DWDF43/4"-6"DBQ	3/4"	6"
DWDF413/16"-6"DBQ	13/16"	6"
DWDF47/8"-6"DBQ	7/8"	6"
DWDF415/16"-6"DBQ	15/16"	6"
DWDF41"-6"DBQ	1"	6"
DWDF41-1/8"-6"DBQ	1-1/8"	6"
DWDF41-1/4"-6"DBQ	1-1/4"	6"
DWDF41-3/8"-6"DBQ	1-3/8"	6"
DWDF41-1/2"-6"DBQ	1-1/2"	6"
DWDF41/4"-12"DBQ	1/4"	12"
DWDF45/16"-12"DBQ	5/16"	12"
DWDF43/8"-12"DBQ	3/8"	12"
DWDF47/16"-12"DBQ	7/16"	12"
DWDF41/2"-12"DBQ	1/2"	12"
DWDF49/16"-12"DBQ	9/16"	12"
DWDF45/8"-12"DBQ	5/8"	12"
DWDF411/16"-12"DBQ	11/16"	12"
DWDF43/4"-12"DBQ	3/4"	12"
DWDF413/16"-12"DBQ	13/16"	12"
DWDF47/8"-12"DBQ	7/8"	12"
DWDF415/16"-12"DBQ	15/16"	12"
DWDF41"-12"DBQ	1"	12"
DWDF41-1/8"-12"DBQ	1-1/8"	12"
DWDF41-1/4"-12"DBQ	1-1/4"	12"
DWDF41-3/8"-12"DBQ	1-3/8"	12"
DWDF41-1/2"-12"DBQ	1-1/2"	12"
DWDF41/4"-16"DBQ	1/4"	16"
DWDF45/16"-16"DBQ	5/16"	16"
DWDF43/8"-16"DBQ	3/8"	16"
DWDF47/16"-16"DBQ	7/16"	16"
DWDF41/2"-16"DBQ	1/2"	16"
DWDF49/16"-16"DBQ	9/16"	16"
DWDF45/8"-16"DBQ	5/8"	16"
DWDF411/16"-16"DBQ	11/16"	16"
DWDF43/4"-16"DBQ	3/4"	16"
DWDF413/16"-16"DBQ	13/16"	16"
DWDF47/8"-16"DBQ	7/8"	16"
DWDF415/16"-16"DBQ	15/16"	16"
DWDF41"-16"DBQ	1"	16"
DWDF41-1/8"-16"DBQ	1-1/8"	16"
DWDF41-1/4"-16"DBQ	1-1/4"	16"
DWDF41-3/8"-16"DBQ	1-3/8"	16"
DWDF41-1/2"-16"DBQ	1-1/2"	16"

- *One centre point
- *Either quick shank or hex shank is for option
- *Made of #45, 65Mn is available as well.
- *Length: 6"-16"
- *Surface treatment: blasted, bright as an alternative
- *For drilling in most common wood types.



Item No.	Size (mm)	OAL length (mm)	Item No.	Size (inch)	OAL length (inch)
DWDF406152CTQ	6	152	DWDF41/4"-6"CTQ	1/4"	6"
DWDF408152CTQ	8	152	DWDF45/16"-6"CTQ	5/16"	6"
DWDF410152CTQ	10	152	DWDF43/8"-6"CTQ	3/8"	6"
DWDF412152CTQ	12	152	DWDF47/16"-6"CTQ	7/16"	6"
DWDF413152CTQ	13	152	DWDF41/2"-6"CTQ	1/2"	6"
DWDF414152CTQ	14	152	DWDF49/16"-6"CTQ	9/16"	6"
DWDF416152CTQ	16	152	DWDF45/8"-6"CTQ	5/8"	6"
DWDF417152CTQ	17	152	DWDF411/16"-6"CTQ	11/16"	6"
DWDF419152CTQ	19	152	DWDF43/4"-6"CTQ	3/4"	6"
DWDF420152CTQ	20	152	DWDF413/16"-6"CTQ	13/16"	6"
DWDF422152CTQ	22	152	DWDF47/8"-6"CTQ	7/8"	6"
DWDF424152CTQ	24	152	DWDF415/16"-6"CTQ	15/16"	6"
DWDF425152CTQ	25	152	DWDF41"-6"CTQ	1"	6"
DWDF428152CTQ	28	152	DWDF41-1/8"-6"CTQ	1-1/8"	6"
DWDF432152CTQ	32	152	DWDF41-1/4"-6"CTQ	1-1/4"	6"
DWDF435152CTQ	35	152	DWDF41-3/8"-6"CTQ	1-3/8"	6"
DWDF438152CTQ	38	152	DWDF41-1/2"-6"CTQ	1-1/2"	6"
DWDF406300CTQ	6	300	DWDF41/4"-12"CTQ	1/4"	12"
DWDF408300CTQ	8	300	DWDF45/16"-12"CTQ	5/16"	12"
DWDF410300CTQ	10	300	DWDF43/8"-12"CTQ	3/8"	12"
DWDF412300CTQ	12	300	DWDF47/16"-12"CTQ	7/16"	12"
DWDF413300CTQ	13	300	DWDF41/2"-12"CTQ	1/2"	12"
DWDF414300CTQ	14	300	DWDF49/16"-12"CTQ	9/16"	12"
DWDF416300CTQ	16	300	DWDF45/8"-12"CTQ	5/8"	12"
DWDF417300CTQ	17	300	DWDF411/16"-12"CTQ	11/16"	12"
DWDF419300CTQ	19	300	DWDF43/4"-12"CTQ	3/4"	12"
DWDF420300CTQ	20	300	DWDF413/16"-12"CTQ	13/16"	12"
DWDF422300CTQ	22	300	DWDF47/8"-12"CTQ	7/8"	12"
DWDF424300CTQ	24	300	DWDF415/16"-12"CTQ	15/16"	12"
DWDF425300CTQ	25	300	DWDF41"-12"CTQ	1"	12"
DWDF428300CTQ	28	300	DWDF41-1/8"-12"CTQ	1-1/8"	12"
DWDF432300CTQ	32	300	DWDF41-1/4"-12"CTQ	1-1/4"	12"
DWDF435300CTQ	35	300	DWDF41-3/8"-12"CTQ	1-3/8"	12"
DWDF438300CTQ	38	300	DWDF41-1/2"-12"CTQ	1-1/2"	12"
DWDF406400CTQ	6	400	DWDF41/4"-16"CTQ	1/4"	16"
DWDF408400CTQ	8	400	DWDF45/16"-16"CTQ	5/16"	16"
DWDF410400CTQ	10	400	DWDF43/8"-16"CTQ	3/8"	16"
DWDF412400CTQ	12	400	DWDF47/16"-16"CTQ	7/16"	16"
DWDF413400CTQ	13	400	DWDF41/2"-16"CTQ	1/2"	16"
DWDF414400CTQ	14	400	DWDF49/16"-16"CTQ	9/16"	16"
DWDF416400CTQ	16	400	DWDF45/8"-16"CTQ	5/8"	16"
DWDF417400CTQ	17	400	DWDF411/16"-16"CTQ	11/16"	16"
DWDF419400CTQ	19	400	DWDF43/4"-16"CTQ	3/4"	16"
DWDF420400CTQ	20	400	DWDF413/16"-16"CTQ	13/16"	16"
DWDF422400CTQ	22	400	DWDF47/8"-16"CTQ	7/8"	16"
DWDF424400CTQ	24	400	DWDF415/16"-16"CTQ	15/16"	16"
DWDF425400CTQ	25	400	DWDF41"-16"CTQ	1"	16"
DWDF428400CTQ	28	400	DWDF41-1/8"-16"CTQ	1-1/8"	16"
DWDF432400CTQ	32	400	DWDF41-1/4"-16"CTQ	1-1/4"	16"
DWDF435400CTQ	35	400	DWDF41-3/8"-16"CTQ	1-3/8"	16"
DWDF438400CTQ	38	400	DWDF41-1/2"-16"CTQ	1-1/2"	16"

- *Tri-point and cutting groove
- *Either quick shank or hex shank is for option
- *Made of #45, 65Mn is available as well.
- *Length: 6"-16",152mm-400mm
- *Surface treatment: titanium-coated
- *For drilling in most common wood types.



Item No.	OAL length (inch)
DWDEXB6"BQ	6"
DWDEXB12"BQ	12"
DWDEXB6"B	6"
DWDEXB12"B	12"

- *Extension bar
- *Either quick shank or hex shank is for option
- *Made of #45
- *Length: 6",12"
- *Surface treatment: blasted, bright as an alternative

